

## Chapter 1 : BOSS - Support - ME - Owner's Manuals

*Owner's Manual Thank you, and congratulations on your choice of the BOSS ME Guitar Multiple Effects. Before using this unit, carefully read the sections entitled: "USING THE UNIT SAFELY" (page ) and "IMPORTANT NOTES" (page 4).*

Before using this unit, carefully read the sections entitled: These sections provide important information concerning the proper operation of the unit. The manual should be saved and kept on hand as a convenient reference. Intuitive operation, similar to that of compact effects processors, lets you make changes to tones directly. Multi-Function Expression Pedal The ME is equipped with an expression pedal that gives you control over six different specialized pedal effects. It can also be switched for use as a volume pedal. COSM analyzes the many factors that make up the original sound, such as the electrical and physical characteristics of the original, and then produces a digital model that can reproduce the same sound. Memory Function You can store up to 30 original tones you have created. Used for instructions intended to alert the user to the risk of injury or material damage should the unit be used improperly. The specific meaning of the symbol is determined by the design contained within the triangle. In the case of the symbol at left, it is used for general cautions, warnings, or alerts to danger. The symbol alerts the user to items that must never be carried out are forbidden. The specific thing that must not be done is indicated by the design contained within the circle. In the case of the symbol at left, it means that the unit must never be disassembled. The specific thing that must be done is indicated by the design contained within the circle. In the case of the symbol at left, it means that the powercord plug must be unplugged from the outlet. Doing so can damage the cord, producing severed elements and short circuits. Damaged cords are fire and shock hazards! Refer all servicing to your retailer, the nearest Roland Service Center, or an authorized Roland distributor, as listed on the "Information" page. Do not operate for a long period of time at a high volume level, or at a level that is uncomfortable. If you experience any hearing loss or ringing in the ears, you should immediately stop using the unit, and consult an audiologist. Never place it on stands that could wobble, or on inclined surfaces. Other AC adaptors may use a different polarity, or be designed for a different voltage, so their use could result in damage, malfunction, or electric shock. Do not drop it! Excessive loads can cause the insulation on the cord to heat up and eventually melt through. In the interest of safety, please read and observe the following precautions p. In addition, avoid mixing different types of batteries. Then install new batteries. To avoid inflammation of the skin, make sure that none of the battery discharge gets onto your hands or skin. Exercise the utmost caution so that none of the discharge gets near your eyes. Immediately rinse the affected area with running water if any of the discharge has entered the eyes. Periodically wipe away such dust with a dry cloth. Also, disconnect the power plug from the power outlet whenever the unit is to remain unused for an extended period of time. Also, all cords and cables should be placed so they are out of the reach of children. This is normal, and is not a cause for concern. To remove stubborn dirt, use a cloth impregnated with a mild, non-abrasive detergent. Afterwards, be sure to wipe the unit thoroughly with a soft, dry cloth. Should you prefer to use batteries, please use the alkaline type. The life of these batteries may be limited, however, since their primary purpose was to enable testing. To protect yourself against the risk of loosing important data, we recommend that you periodically save a backup copy of important data you have writed on the paper. Roland Corporation assumes no liability concerning such loss of data. To alleviate the problem, change the orientation of this unit; or move it farther away from the source of interference. Rough handling can lead to malfunctions. Do not use this device in the vicinity of such receivers. Such noise could occur when receiving or initiating a call, or while conversing. Should you experience such problems, you should relocate such wireless devices so they are at a greater distance from this unit, or switch them off. You may prefer to use headphones, so you do not need to be concerned about those around you especially when it is late at night. Otherwise, you will need to use equivalent packaging materials. Excessive heat can deform or discolor the unit. If using some other make of connection cable, please note the following precautions. Do not use cables that incorporate resistors for connecting to this unit. The use of such cables can cause the sound level to be extremely low, or impossible to hear. For information on cable specifications, contact the manufacturer of the cable. Damage or malfunction may result if you attempt to use

the unit in this condition. Therefore, before using the unit, you must allow it to stand for several hours, until the condensation has completely evaporated. Insert the included batteries as shown in figure, being careful to orient the batteries correctly. To listen to sound with the ME, connect it to a guitar amp, stereo headphones, or other such sound equipment. Also, you should try to orient the unit so no buttons or controls get damaged. If this happens, replace with new batteries. Doing so can result in fluid leakage. This may vary according to usage conditions. Using an ordinary cable will cause only the leftchannel sound to be output. Check the connections once more. Check the volume levels on any connected amp or mixer. Check the connecting cables and external devices once more. Turning on the Power Once the connections have been completed, turn on power to your various devices in the order specified. Sounds are not output when the toe of the expression pedal is in the raised position while the pedal is set to function as a volume pedal. Output is muted in Tuner mode. Using a cable containing a resistor may prevent sound from CD and MD players from being audible. A brief interval several seconds after power up is required before the unit will operate normally. Turning Off the Power 1. Turn down the volume of the ME and any connected device. About the Effect Connection Sequence The ME automatically selects the optimum sequence for connecting the effects according to the effect p. FAT Fat tone with boosted mid range. Set the polarity switch as shown below. MILD Mild tone with the high end cut back. S H Changes from a single-coil pickup tone to a humbucking pickup tone. H S Changes from a humbucking pickup tone to a mixed tone of two single-coil pickups. H HF Changes from a humbucking pickup tone to a single-coil pickup half tone. Connect as shown below. This is an effect that produces a long sustain by evening out the volume level of the input signal. Turning it to the right clockwise produces a longer sustain. White Set the polarity switch as shown below. Use this in achieving a volume balance when switching the Compressor on and off. Turning the knob to the right clockwise creates a stronger distortion and increases the volume. Turning the knob to the left counterclockwise cuts the low end more; the low frequencies are boosted as the knob is turned to the right. Turning the knob to the left creates a milder sound; a sharper sound is produced as the knob is turned to the right. These are effects that distort the sound. Adjust the LEVEL knob so that the apparent volume level remains the same whether the effects are on or off. Models the Proco RAT. Overdrive that gives a more natural sounding distortion. A lustrous crunch sound with an added element of amp distortion. Produces a distortion sound with both the smoothness of an overdrive along with a deep distortion. A heavy distortion with a boosted low end. An intense, radical distortion sound. Overdrive with special mid range tone. Sound of Overdrive through a stack amp. Sound of a large high gain amp. Synth square wave sound.

### Chapter 2 : BOSS ME OWNER'S MANUAL Pdf Download.

*Owner's Manual. Thank you, and congratulations on your choice of the BOSS ME Guitar Multiple Effects. Before using this unit, carefully read the sections entitled: "USING THE UNIT SAFELY" (page ) and "IMPORTANT NOTES" (page 4).*

### Chapter 3 : The Marketplace for Musicians | calendrierdelascience.com

*Save this Book to Read boss me 50 manual portugues PDF eBook at our Online Library. Get boss me 50 manual portugues PDF file for free from our online library.*

### Chapter 4 : Documents, presets, manuals Boss ME - Audiofanzine

*Manual & Guides - Product User Manuals & Troubleshooting Guides. Products and names mentioned are the property of their respective owners.*

### Chapter 5 : Boss ME Guitar Multiple Effects Troubleshooting | Troubleshooting Manuals

*BOSS ME 50 MANUAL PORTUGUES PDF Subject: BOSS ME 50 MANUAL PORTUGUES Its strongly recommended*

## DOWNLOAD PDF BOSS ME 50 MANUAL PORTUGUES

*to start read the Intro section, next on the Quick Discussion and find out all the topic coverage.*

### Chapter 6 : BOSS - Support - ME - Owner's Manuals - Owner's Manual

*Boss Ns-2 User Manual pedal manuals boss me 40 pdf boss me 8 manual boss ns2 manual 50 manual boss me 33 corsair flash voyager instructions apa formatting tutorial Boss Me 5 Manual PDF Download - Physicians pdf, have at it!!! boss me5 manual you guys that asked for this owe me, this.*

### Chapter 7 : Download - BOSS ME LOI MANUEL UTILISAT - Manuals

*Support - ME Owner's Manuals: Owner's Manual. Newsletter. Sign up to the Boss South Africa monthly newsletter and look forward to the latest gear news, artist-related features, how-to guides and much more in your inbox.*

### Chapter 8 : BOSS India - Support - ME - Owner's Manuals - Owner's Manual

*The Boss Me 50 calendrierdelascience.com, founded in June , is dedicated to the appreciation and preservation of the to Mercury Cougar and represents Cougar enthusiasts in Delaware, Maryland, Virginia and the District of Columbia. The DCC also welcomes Cougar owners and enthusiasts in other areas and those with later model year cars.*

### Chapter 9 : Boss ME Manuals

*Um passo a passo de como utilizar a ME50 da boss, como usar os pathes como salvar e editar os sons. funcionamento a partir dos knobs Canal do Guitarrista Cle.*